I Number	Hits	Search Text	DB	Time stamp
1 2		r ontic or ontically near? (switch or switches or switching) and	USPAT	2003/09/22 12:51
1				1
Φ	0	P.	SPC, JPO; DERWENT; IBM_TDB	2303/39/22 12:57
ις.	0	with (phase or pathlength or path-length or (path adj length)) ((polica) or optic or optically), near2 (switch or switches or switching)) and JSOCR ((initror or micro-mirror or micro-mirror or neflector or reflectors or micro-mirrors or micro-mirrors) near8 (translate or translates or	SOCR	2003/09/22 12:57
<u></u>	2	anslatable)) witching)) and tors or ranslates or anslatable))	US-PGPUB	2063/09/22 12:58
<u></u>	0	with (phase or pathibachts or pathibachts or (path add langth)) and () ((optical or optic or optically) near2 (switch or switches or switching)) and ((mittor or micro-mittor or micro-mittor or micro-mittor or micro-mittor or micro-mittors or pathibachts or micro-mittors) near8 (translates or tensities or mittors)	JPO	2003/69/22 13:00
=======================================	0	atable)) hing)) and or mirrors	IBM_TDB	2003/09/22 13:00
9	8	atable)) hing)) and or mirrors	US-PGPUB	2003/09/22 13:25
<u></u>	129	atable)) ning)) and or mirrors	USPAT	2003/69/22 13:25
ω	1	transistated or transisting or transistation or transistation to transistation or transistation or transistation or transistation or transistation or micro-mirror or micro-mirrors or mirrors o	EPO	2003/09/22 13:00
10	9	atable)) hing)) and or mirrors	DERWENT	2003/09/22 13:00
12	υ 0	rs	JSOCR	2003/09/22 13:22
13	121 3	iranslated of translating or translation of translateable of translatable))	USPAT	2003/09/22 :3:22

14	98	(multiplaxer or multiplaxers or multi-plaxer or multi-plaxers or demulti-player or demulti-plaxers or demulti-plaxers or demulti-plaxer or demulti-plaxers or demulti-plaxers or demulti-plaxer or more more or more o	US-PGPUB	2003/09/22 13:46
15	061	tran	USPAT	2003/09/22 13:25
18	38	demultipless or demultipless or demultipless of definition or demultipless or demultipless or demultipless or demultipless or demultipless or demultipless or definition or deficients or microalizer or definition or deficients or demultipless or demultipl	US-PGPUB	2003/09/22 13:25
	; <u> </u>	microminities or microminities interface, or retractives of minities or translated or or translated or or translated or switches or switching) and (infiror or micro-mirror or microminror or reflector or reflectors or mirror mirror mirror mirror from microminror or translated or tra		
19	831 841 841 841 841 841 841 841 841 841 84	functiplewer or maintiplewers or multi-plewers or multi-plewers or demultiplewers or multi-plewers or demultiplewers or micro-mirror or micro-mirror or micro-mirror or micro-mirror or micro-mirrors or mirrors or complexed to demultiplewers or demultiplewers or demultiplewers or tensistence or mirrors or translation or mirror mirrors or mirroral mirrors or mirrors or mirroral mirroral mirroral mirrors or mirroral mirror	USPAT	2003/09/22 13:25
υ -1	m m	demultipleser or multiplesers or multiplesers or multiplesers or multiplesers or multiplesers or multiplesers or demultiplesers or demultiplesers or demultiplesers or demultiplesers or demultiplesers or demultiplesers or multiplesers or m	EPO; JPO; DERWENT; IBK_TDB	2003/09/22 13:25
71	- 	demultipleser or multiplesers or multiplesers or multiplesers or multipleser or multiplesers or elemitablesers or demultipleser or demultiplesers or demultipleser or demultiplesers or demultipleser or demultipleser or multiplesers or with or lawny and (mirrors or micromitrors or micromitrors or micromitrors or micromitrors or micromitrors or multiplesers or with or translated or micromitrors or mergalisation mergalisations or translated or transl	USOCR	2003/09/22 13:34
20 21 22 23	01111	09/703,788 \$2571031"), 2K. ("6574380"), PN. ("85282895"), PN.	JSOCR USPAT USPAT USPAT	
24	110	""5501872"), PN. "16141467", P.	USPAT	2003/09/22 13:43

27	0	Most or (awayogide mar) (roter or toutes)) and (furince or bitco-mirror or reflector or reflectors or mirrors or micro-irror or reflector or reflectors or mirrors or mirror or reflector or reflectors or mirrors or mirror	USPAT	2003/09/22 13:47
28	0	(WRS OF CO. OF INSTITUTE OF CENTRALED S) (WRS OF CO. OF INSTITUTE OF CENTRALED S) (WRS OF CENTRALED S)	EPO; JPO; DERWENT; IBM_TDB	2003/09/22 13:47
53	c	(MRG PO (MANOS) (MRG PO MANOS) AND MANOS OF MATCO-MITTOR OF MICTORITORS OF MICTOR	USOCR	2003/09/22 13:47
56	el	(MRI Or leavegaige mari fronter or consers)) and (mirror or interpairs) or interpairs	US-PGPUB	2003/09/22 13:48
32	0	(WGR or (waveguide mean3 (router or routers)) and (uniror or micro-mirror or micro-mirrors	EPO; JPO; DERWENT; TBM TDB	2003/09/22 13:48
08	11	(WGR or (waveguide near3 (router or routers))) and ((mirror or micro-mirror or micromirror or micromirror or micromirrors or micromirrors or midromirrors or midromirrors) near (movable or moves or moved or move	US-PGPUB	2003/09/22 13:48
31	т	(WGR or (waveguide near3 (router or routers))) and (mirror or micro-mirror or micro-mirror or micro-mirror or mid-facetor or reflectors or mirrors or micrors) or mid-route which is not maken or maken o	USPAT	2003/09/22 13:50
33	2164	interference must make the many of many of micro-livers or mirrors or micro-livers or mediate the micro-livers or mirrors or reflectors or reflectors or reflectors or mirrors or many or more or mirrors or mirr	USPAT	2003/09/22 13:50
34	223	Interference or interference or and (introduce accompany or micro-mirror or micromirror or conference or reference or micro-mirrors or mirrors or	USPAT	2003/09/22 13:51
35	222	Characterometer or inserfacements) and ((mixtor or inforcemintor or inforcemintor or inforcemintor or inforcemintor or inforcemintor or inforcemintor or selfactor or reflectors or minror or micro-minror or inforcement of inforcemintors (more) for inforcement or	USPAT	2003/09/22 13:52
		Switching)) and (finitor or micro-mirror or micromirror reflector created constitutions or micro-mirror or micromirror or reflectors or mirror or micromirrors or micromirrors or micromirrors or micromirror or micromirror or mirror or mi		
3.6	∞ ⊣	.calsaded or transacting of translation of translation of translation of translations of (interferometer or interferometers) near2 folded (WRN or translating router" or "waveguide grating router" or "waveguide grating routers" or WGRs)	USPAT	2003/09/22 13:53
38	- J		US-PGPUB	2003/09/22 13:54
39	0		EPC; JPO; DERWENT; IBM TDB	2003/09/22 13:54

40	-1	(WGR or "waveguide grating router" or "waveguide grating routers" or WGRs)	USOCR	2003/09/22 15:56
		_		
41	-		USOCR	2003/09/22 15:56
42	20		USPAT	2003/09/22 15:58
5 4 5		(switching ad) fabric).ti. and 385/\$ and ((transparent adj networks).as.)	USPAT	2003/09/22 16:00
2.	٠.		USPAT	2003/09/22 16:00
15		_		00.01 007007 0000
9 4	_	_	Tepan	2003/09/22 18:00
4.1	- 2		USPAT	2003/09/22 17:13
	_	_		
48	-1	_	USPAT	2003/09/22 17:14
49	3		USPAT	
50	S	"5953467"	USPAT	2003/09/22 17:14
5.	0	_	USPAT	2003/09/22 17:17
52	-	_	USPAT	2003/09/22 17:17
53	11	_	USPAT	2003/09/22 17:22
		and ((phase near2 (shift or shifts or shifting or shifted or shifter or		
		SILECTED WITH (WILLION OF INTERCED OF INTERCED OF TRIPIAL TRIPIAL OF TREFERENCE OF		
	_	micromirror or micromirrors))		
54	10	_,	USPAT	2003/09/22 27:26
		demultiplexer or de-multiplexer or demultiplexers or de-multiplexers or WDM		
		or uwum or mutiplaxer or multiplexers) and (phase hearz (shift or shifts or		
		Shirting or shirted or shirter or shirters) same (mirror or mirrors or		
	_	articular or micro-mirror or micro-mirror or micromirror or micro-mirror or mi		
		The factor state of a factor of the factor o		
		translated or translating or translatable or translation);)		
56	-		SPO	2003/09/22 17:26
		demultiplexer or de-multiplexer or demultiplexers or de-multiplexers or WDM		
		or DWDM or multiplexer or multiplexers) and ((phase near2 (shift or shifts or		
	_	Shifting or shifter or shifters) same ((mirror or mirrors or		
		reflecting or reflective or reflects or reflected or reflector or reflectors		_
		or micro-mirror or micro-mirrors or micromirror or micromirrors) near2 (move		
	_	or moving or moves or moved or movable or traslate or translates or		
22	00	_	OS-PGPUB	2003/09/22 17:30
		deminitiplever of de-multiplever of demolliplevers of co-multiplevers of worm		
		shifting or shifted or shifter or shiftern) same (mirror or mirror or		
	_	reflecting or reflective or reflects or reflected or reflector or reflectors		
	_	or micro-mirror or micro-mirrors or micromirror or micromirrors) near2 (move		
	_	or moving or moves or moved or movable or traslate or translates or		;
		_		
28	0	_	USOCR	2003/39/22 17:31
		demultiplexer or de-multiplexer or demultiplexers or de-multiplexers or MDM		
		Or DAMPH OF MULLIPLEXE OF MULLIPLEXELS) and (phase heat (silles of		
		SHILLING OF SHILLING OF SHILLING OF SHILLING STORY OF SHILL OF SHILLING OF SHILLING STORY OF SHILLIN		
		TRIPECTING OF PETFORMS OF THE THOUGHOUS OF THE TRECTOR OF THE TREC		
		of moving or moves or moved or worship or translate or translates or		
		translated or translating or translatable or translation)))		

1728	Liming J. Nove of Edward of Lower of Leasange of Liminated or Liminated or translation or translation of 1385/1 or 1385/1 or 1385/2) or 1385/3) or 1385/4) or 1385/5) or 1385/7 or 1385/8		
	_	USPAT	2003/09/22 12:49
	(385/8) or (385/2) or (385/19).ccis. (385/16) or (385/18) or (385/19).ccis.	USPAT	2003/09/17 10:33
	((385/1) or (385/2) or (385/3) or (385/4) or (385/5) or (385/6) or (385/7)	USPAT	2003/09/17 10:58
	or (385/9) or (385/9) or (385/9) or (385/10). The control of mirror or micro-mirror or reflecting) with ((position or distance or length or separation or width or reflecting) with ((position or distance or length or separation or width or		
	gap) neat/ (adjust or adjusted or adjusting or adjusts)) 9(385/16) or (385/18) or (385/19).CCLS.) and (mirror or mirrors or using the configuration of micro-mirror or micrormirrors or micro-mirrors or micromirrors or nellective or	USPAT	2603/09/17 10:23
	reflecting) with ((position or distance or length or separation or width or	. — .	
	or micro-mirrors or with (position or	USPAT	2003/69/17 10:28
	distance or length or separation or width or gap) near2 (adjust or adjusted or adjusting or adjusts))		
	rs or	USPAT	2003/09/17 10:31
	moving of moves or moved) with (parthength or path-length or length) (Mach-Zehnder) and ((mirror or mirrors or mirror-irror or mirro-mirror or mirror-mirror or mirror-mirror or mirror-mirror or mirror-mirror or mirror-mirror or mirror-mirror or mirror	EPO; JPO;	2003/09/17 10:31
	0 31 0	IBM TDB	2003/09/17 10:31
	or	US-PGPUB	2003/09/17 10:32
	micronizros or micronizros os reflectivos or selectivos (probe or mortonizros or micronizros or reflectivos or moving or moves or moved) with (sathlangth or path-length or length) (Mach Zebinder) with (mirror or mirrors or micro-mirrors or micro-mirror or micro-mirrors or reflective or reflective or micro-mirrors or mirrors or mirr	EDEDE-SD	2003/09/17 10:32
	or or mirrors or micro-mirror or micro-mirrors or s or reflective or reflecting) near? (move or	US-PGPUB	2003/09/17 10:32
	or or mirrors or micro-mirror or micro-mirrors or s or reflective or reflecting) near2 (move or	SPO; JPO; DERWENT;	2003/09/17 10:32
=	or or mirrors or micro-mirror or micro-mirrors or s or reflective or reflecting) near2 (move or	IRM TDB USOCR	2003/09/17 10:32
	moving or moves or moved) 1 (Mech-Zehnder) with ((mirror or mirrors or micro-mirrors or lust micromirrors or microfiltors or reflective or reflecting) near2 (move or moving or newed))	USPAT	203/09/17 :0:32

### Preflecting) ####################################	defloction) (1887/16) or (1887/19) or (1887/19) or micromitrors or micromitrors or micromitrors or micromitrors or micromitrors or micromitrors or reflective or		_
314 1695 272 519 623 623 623 0 0		USPAT	2003/09/17 10:33
1695 272 519 623 823 923 923 372	(385/47).CCLS.) and (mirror or mirrors or micro-mirror or micro-mirrors or	USPAT	2003/09/17 10:33
272 519 623 823 0 372	ALCIONITION DI MICCIONITIONS OF FELTECTIVE OF TELLECTRIST ((1885/1) OR (385/2) OR (385/3) OR (385/4) OR (385/5) OR (385/7) OR (385/4) OR (385/5) OR (385/4) OR (385/4	USPAT	2003/09/17 13:26
272 51,9 62,9 823 0	micro-mirror or micro-mirrors or micromirror or microafirors or reflective or reflective or (1(1885/15)) or (1885/18) or (
315 823 823 823 923 923 923 9372	reflective or reflecting) or ((385/47).CCLS.) and (mirror or mirrors or midlor-mirror or micro-mirrors or micromirror or micromirror or reflective or neconity.)		
5.9 823 823 0 0 372	(1855/1) or (185/2) or (185/3) or (185/3) or (185/5) or (185/6) or (185/7) or US-PGFUB	US-PGFUB	2003/09/17 10:33
823 823 0 372	(385/6) OI (385/18) OI (385/18) OI (385/19)).CCLS.	US-PGPUB	2003/09/17 10:33
372	(1885/1) or (185/2) or (185/3) or (185/4) or (185/5) or (185/6) or (185/7) or (185/6) or (185/7) or (185/8) or (185/10)).ccLS.) or ((185/16) or (185/18) or (185/10) or or (185/16) or (185/18) or	US-PGPUB	2003/09/17 10:35
 	(mirror or mirrors or micro-mirror or micro-mirrors or micromirror or	IBM_TDB	2003/09/17 11:02
	reconirons or reflective or reflective for participation or path-leapth for path-leapths or path-leapths or path-leapths or pathleapths or pathleapths or pathleapths or quality or adjusting or path or pa		
	controlled or controllable or increase or increased or increasing or increases or decrease or decrease or decreased or decreasing or decreases or variable or		
	or ilbers or ilbre or ilbres or (light ad) quide) or (light ad) quides) or light-guide or light-guides or lightguide or lightguides)		
or pathlength or pa near2 (adjust or ad	((mirror or mirrors or micro-mirror or micro-mirrors or micromirror or micromirror or micromirrors or reflective or refiecting) with ((path-length or path-lengths)	USPAT	2003/09/17 11:15
	or pathlength or pathlengths or (path adj length) or (path adj lengths)) near2 (adjust or adjusted or adjusting or adjusts or tune or tunes or tuned		
cr tuning or adjust	or tuning or adjustable or tunable or control or contols or controlling or controlled or controllable or increase or increased or increasing or		
increases or decrea	increases or decrease or decreased or decreasing or decreases or variable or		
valles of valleu of chang	valles of valled of valuable of varying of change of changes of changed of changes of fiber (changeable or changes or fiber (
or fibers or fibre	or fibers or fibre or fibres or (light ad' guide) or (light ad') guides) or light-guide or light-guides or lightguide or lightguides)		

	001	to accept the mission of mission of mission of mission of acceptance of mission of missi	CI.O.O.	2203/08/17 11:63
	001		2000	500.11 11.601.0007
		or nathlandth or nathlandths or (nath adi landth) or (nath adi landths))		
_		Company of parished on adjusted on adjusting or thing or thing		_
_		media (adjust of adjusted) and the state of adjusting of adjusts of this of the office of the state of the st		
		of rulling of adjustable or increase of control of control and		
_		CONTENTS OF A CONTINUES OF AGENCY OF A CONTINUES OF A CONTINUES OF THE STAND OF		
		THICK ASSESS OF DECIDENCE OF DECIDENCE OF DECIDENCE OF VITTER OF		
		varies of variable of varying of change of changes of		_
		changeable of changable of changing/// and (waveguide of waveguides of tiper		
		or fibers or fibre or fibres or (1.ght adj guide) or (1.ght adj guides) or		
_	~	_	3Po	2003/09/17 11:03
_		micromirrors or reflective or reflecting) with ((path-length or path-lengths		
		or pathlength or pathlengths or (path add length) or (path add lengths))		
_		near (adjust or adjusted or adjusting or adjusts or tune or tunes or tuned		
		or tuning or adjustable or tunable or control or contols or controlling or		
_		controlled or controllable or increased or increased or		
-		increases or decrease or decreased or decreasing or decreases or variable or		
		to property to control to better the transfer to the transfer		
		varies of varied of variable of varying of change of changes of changes of		_
		changeable or changable or changing))) and (waveguide or waveguides or fiber		
_		or fibers or fibre or fibres or (light adj guide) or (light adj guides) or		
		light-quide or light-quides or lightguide or lightguides)		
	11		JPO	2003/09/17 11:03
_	1		,	
_		or nathlength or nathlengths or (nath add lengths))		
		or programming to adjusted or adjusts or time or timed needs?		
		control of control of the control of control		
		or tuning or adjustable or tunable or control or controls or		
		collication of collication of increase of increased of increasing of		
		increases or decrease or decreased or decreasing or decreases or Variable or		
		varies or varied or variable or varying or change or changes or changed or		
_		changeable or changable or changing))) and (waveguide or waveguides or fiber		
		or fibers or fibre or fibres or (light ad) guide) or (light ad) guides) or		
_				
_	33		DERWENT	2003/09/17 11:03
-		micromirrors or reflective or reflecting) with {(path-length or path-lengths		
		or pathlength or pathlengths or (path adj length) or (path adj lengths))		
_		near2 (adjust or adjusted or adjusting or adjusts or tune or tunes or tuned		
_		or tuning or adjustable or tunable or control or control is or controlling or		
		controlled or controllable or increased or increasing or		
		increases or decrease or decreased or decreasing or decreases or variable or		
		varies or varied or variable or varying or change or changes or changed or		
		changeable or changable or changing))) and (waveguide or waveguides or fiber		
		or fibers or fibre or fibres or (light adj guide) or (light adj guides) or		
_		light-caide or light-quides or lightquide or lightquides)		

particulators or reflective or reflective or captised to adjust or path-length or peth-length or divised
All Committees of partitional controlled or
2 8 0 0 8 8 7 9 00 00 00 00 00 00 00 00 00 00 00 00 0

2.9 548 224		USPAT USPAT US-PGPUB	2003/09/17 11:26 2003/09/17 13:14 2003/09/17 13:14
567		US-PGPUB	
	tunable or control or contols or controlling or controlled or controllable or increased or increasing or increases or decrease or decreased or decreased or decreased or decreased or whise or wariable or		
	varying or change or changes or changed or changeable or changuable or changing)) and (waveguide or waveguides or fiber or fiber or fiber or fiber or fibre or fibres or fibre or fibres or linght-quide or fibres or linght-quide or		
	light-guides or lightguide or lightguides) and (switch or switching or switched) or switched)		
1305		USPAT	2003/09/17 13:25
	Automatrons or Fellective or Fellecting) With (1958Lt.on of Fength or distance or gap or width or separation) near3 (adjust or adjusted or adjusting or adjusts or tune or tunes or tuned or tuning or adjustable or		
	tunable or control or contols or controlling or controlled or controllable or increased or incre		
	decreasing or decreases or variable or varies or varied or variable or varying or changes or changes or changes or changes or changes by changes or change		
	changing))) and (waveguide or waveguides or fiber or fiber or fibre or fibres or fibres or fibres or light ad: guide) or (light ad: guide)		
	light-guides or lightguide or lightguides) and (switch or switching or switches or switched)		
2986	((optical or optic or light) near2 (switch or switches or switching)) and	USPAT	2003/09/17 13:25
	micromitrors or reflector or reflectors or reflective or reflecting) near2		
	(move or moving or moved or moves or movable or position or positioning or positioned or positions or positionable))		
47	((mirror or mirrors or micro-mirror or micro-mirrors or micromirror or micromirrors or reflective or reflecting) with ((position or length or	USOCR	2003/09/17 13:23
	distance or gap or width or separation) near3 (adjust or adjusted or adjusts or adjusts or tune or tunes or tuned or tuning or adjustable or		
	tunable or control or contols or controlling or controlled or controllable or increase or increased or increasing or increases or decrease or decreased or		
	decreasing or decreases or variable or varies or varied or variable or varying or change or changes		
	changing))) and (waveguide or waveguides or fiber or fibers or		
	indres of (iight ad) gaide) of (iight ad) guides) of iight-guide of light-guides of lightguide of lightguides) and (switch or switching of		

	4.2	(mirror or mirrors or mirror or mirror or mirrors or mirrors or	FPO: TPO:	2003/09/17 13:23
	!		DERWENT	
		distance or gap or width or separation) near3 (adjust or adjusted or	IBM TDB	
		adjusting or adjusts or tune or tunes or tuned or tuning or adjustable or	1	_
		tunable or control or contols or controlling or controlled or controllable or		
		increase or increased or increasing or increases or decrease or decreased or		
		decreasing or decreases or variable or varies or varied or variable or		
		varying or change or changes or changed or changeable or		
		Changing))) and (wavequide or wavequides or libers of libre or		
_		Indicates of Ingile and Guides of Ingile and Guides of Ingile Guides of Ingile Guides of Ingile and Ingile Guides of Ingile and Ingile Guides of Ingile Guide		
		injuic-guides of injuiction of injuictions) and (switch of switching of		
	613		USPAC	2003/39/17 13:25
_				
		distance or gap or width or separation) hear3 (adjust or adjusted or		
		adjusting or adjusts or tune or tunes or tuned or tuning or adjustable or		
		tunable or control or contols or controlling or controlled or controllable or		
_		increase or increased or increasing or increases or decrease or decreased or		
		decreasing or decreases or variable or varies or varied or variable or		
		varying or change or changes or changed or changeable or changable or	_	
		changing))) and (waveguide or waveguides or fiber or fibers or fibre or	_	
_		fibres or (light adj guide) or (light adj guides) or light-guide or		
		light-guides or lightguide or lightguides) and (switch or switching or		
1	938	_	USPAT	2003/09/17 13:25
		((mirror or mirrors or micro-mirror or micro-mirrors or micromirror or		
_		micromirrors or reflector or reflectors or reflective or reflecting) near2		_
		(move or moving or moved or moves or movable or position or positioning or		
		-		
_	1415		CSPAT	2003/09/17 13:26
_		micromirrors or reflective or reflecting) with ((position or tength or		
_		distance or gap or width or separation) near3 (adjust or adjusted or		
		adjusting or adjusts or time or tunes or times or tuning or adjusting or		
		LUISABLE OF CONTECTS OF CONTEC		
		decreaseing or decreases or variable or varies or variable or variable or		
		varying or change or changes or changed or changeable or changable or	_	_
		changing))) and (wavequide or wavequides or fiber or fibers or fibre or		
_		fibres or (light adj guide) or (light adj guides) or light-guide or		
-		light-guides or lightguide or lightguides) and (switch or switching or		
		switches or switched) and (phase)) or (((optical or optic or light) near?		
		(switch or switches or switching)) and ((mirror or mirrors of micro-mirror or		_
		micro-mirrors or micromirror or micromirrors or reliector or reflectors or		
		FELECTIVE OF FELECTING HEALT (MOVE OF MOVETHS OF FOUNDED OF MOVED OF MOVE		
		not posteron of posteroning of posteroned of posteronic of posteronically and		

-	1360	(((filtror or mirrors or micro-mirror or micro-mirror or micromirror or (USPAT		2063/09/17 13:26
		micromirzors or reflective or reflecting) with ((position or length or		
		distance or gap or width or separation) mean3 (adjust or adjusted or	-	
_		adjusting or adjusts or tune or tunes or tuned or tuning or adjustable or	_	_
		tunable or control or contols or controlling or controlled or controllable or	_	_
		increase or increased or increasing or increases or decrease or decreased or		-
_	_	decreasing or decreases or variable or varies or varied or variable or		_
_		varying or change or changes or changed or changeable or changable or	-	
_		changing))) and (waveguide or waveguides or liber or fibers or fibre or		
-		fibres or (light adj guide) or (light adj guides) or light-guide or		
		light-guides or lightguide or lightguides) and (switch or switching or	_	
_		switches or switched) and (phase)) or (((optical or optic or light) near2	_	
		(switch or switches or switching)) and ((mirror or mirrors or micro-mirror or	-	
		micro-mirrors or micromirror or micromirrors or reflector or reflectors or	_	
	_	reflective or reflecting) rear2 (move or moving or moved or moves or movable	_	
		or position or positioning or positioned or positions or positionable)) and	_	
_		-	-	
	1285	((((mirror or mirrors or micro-mirror or micro-mirrors or micromirror or	_	2003/09/17 13:31
		micromirrors or reflective or reflecting) with ((position or length or	-	_
		distance or gap or width or separation) near3 (adjust or adjusted or	-	
		adjusting or adjusts or tune or tunes or tuned or tuning or adjustable or		
		tunable or control or contols or controlling or controlled or controllable or	_	
	_	increase or increased or increasing or increases or decrease or decreased or	_	
		decreasing or decreases or variable or varies or varied or variable or	_	
_		varying or change or changes or changed or changeable or changable or	_	
_		changing))) and (waveguide or waveguides or fiber or fibers or fibre or	_	
		fibres or (light adj guide) or (light adj guides) or light-guide or		
_		light-guides or lightguide or lightguides) and (switch or switching or		_
_		switches or switched) and (phase)) or ((optical or optic or light) near?	-	
_	_	(switch or switches or switching)) and ((mirror or mirrors or micro-mirror or		
		micro-mirrors or micromirror or micromirrors or reflector or reflectors or		
_		reflective or reflecting) near2 (move or moving or moved or moves or movable	_	
_		or position or positioning or positioned or positions or positionable)) and		
_	-	phase)) not (((385/18) or (385/19)).CCLS.)) not (((((385/1) or (385/2) or		
_		(385/3) or (385/4) or (385/5) or (385/6) or (385/7) or (385/8) or (385/9) or	_	
		(385/10)).CCLS.) and (mirror or mirrors or micro-mirror or micro-mirrors or		_
_		micromirror or micromirrors or reflective or reflecting)) or ((((385/16) or	-	
		(385/18) or (385/19)). CCLS.) and (mirror or mirrors or micro-mirror or	_	_
		micro-mirrors or micromirror or micromirrors or reflecting)) or	- (-	
		(((385/47).CCLS.) and (mirror or mirrors or micro-mirror or micro-mirrors or	_	
		MICROMITYOF OF MICROMITYORS OF RELECTIVE OF RELECTING)))	1	

	196 ((((((((Millor or mirrors or micro-mirror or micro-mirrors or micromirror or USPAT micromirrors or reflective or reflecting) with ((position or length or	2003/09/17 13:38	7 13:38
	adju	statance or gap or width or separation) near3 (adjust or adjusted or adjusting or adjusts or or contois or tunes or tunes or tuning or adjustable or tunable or control or contois or controlling or controlled or contois.		
	decr	increase or increased or increasing or increases or decrease or decreased or decreases or activities or variets or variable or variets or variable or variets or variable or variable or variable or variets or variable or variable or channel or		
	chan	charging)) and (waveguide or waveguides or liber or liber or libres or light adj guide) or (light adj guide) or (light adj guides) or light-guide or		
	ligh	light-guides or lightguide or lightguides) and (switch or switching or switches or switched) and (phase)) or (((optical or optic or light) near2		
	(SWI	(switch or switches or switching)) and ((mirror or mirrors or micro-mirror or micro-mirror or micromirror or micromirror or micromirror or micromirrors or reflector or reflectors or		
	or p	reflective or reflecting) nearZ (move or moving or moved or moves or movable or position or positioning or positioned or positions or positionally) and		
	phas (385	obase)) not (((385/18) or (385/19)).CCLS.)) not ((((385/1) or (385/2) or (385/3) or (385/4) or (385/5) or (385/6) or (385/7) or (385/8) or (385/9) or (385/8)		
	1 (385 micr	(385/10)).CCLS.) and (mirror or mirrors or micro-mirror or micro-mirrors or micromirror or micromirrors or reflective or reflective or (((385/16) or		
	(385	(385/18) or (385/19)).CCLS.) and (mirror or mirrors or micro-mirror or		
	((3)	micro-mirrors or micromirror or micromirrors or reflective or reflecting)) or (((385/47).CCLS.) and (mirror or mirrors or micro-mirror or micro-mirrors or		_
	micr	micromitror or micromitrors or reflective or reflecting))) and ((mirror or mirrors or micromitror or		
				_
1	do))	((optical or optic or optically) near2 (switch or switches or switching)) and EPO ((mirror or mirrors or micro-mirror or micro-mirror or micromirror or	2003/09/17 13:40	7 13:40
	micr	micromirrors or reflector or reflectors or reflective or reflecting) near2		
	or t	or translate or translating or translated or translates or translation)) with	_	
_	(phase)) 0 ((optica	(phase)) ((optical or optically) near2 (switch or switches or switching)) and JPO	2003/09/17 13:40	7 13:40
	E))	(((mirror or mirrors or micro-mirror or micro-mirrors or micromirror or micromirrors or reflector or reflectors or reflectors or reflecting on reflecting		
_	(mon)	(move or moves or moved or moving or movable or positionable or translateable		
	_	_		_
	a())	((optical or optic or optically) near2 (switch or switches or switching)) and DERWENT (((mirror or mirrors or micro-mirror or micro-mirror or	2003/09/17 13:40	7 13:46
	micr	micromirrors or reflector or reflectors or reflective or reflecting) near?	_	
	or t	intro of most of translating or translated or translates or translation)) with	_	-
	0 (optica	pnase// (optical or optic or optically)	2003/09/17 13:40	7 13:40
	((m micre	(((mirror or mirrors or micro-mirror or micro-mirrors or micromirror or micromirror) micromirrors or reflector or reflectors or reflecting) near2	_	
	nom)	(move or moves or moved or moving or movable or positionable or translateable		
	or trans	or translate or translating or translated or translates or translation)) With	_	
	1 17119	(Lac)		

-	0 ((optical or optic or optically) near2 (switch or switches or switching)) and USOCR	USOCR	2003/09/17 13:40	13:40
	(((mirror or mirrors or micro-mirror or micro-mirrors or nicromirror or micromirrors or reflector or reflectors or reflecting) near2			
_	(move or moves or moved or moving or movable or positionable or translateable			
	or translate or translating or translated or translates or translation)) with			
	(phase))			
_	20 ((optical or optic or optically) near2 (switch or switches or switching)) and USPAT	USPAT	2003/09/17 13:40	13:40
_	(((mirror or mirrors or micro-mirror or micro-mirrors or micromirror or			
-	micromirrors or reflector or reflectors or reflective or reflecting) near?			
_	(move or moves or moved or moving or movable or positionable or translateable			
_	or translate or translating or translated or translates or translation)) with			
	(phase)			
	49 ((optical or optic or optically) near2 (switch or switches or switching)) and US-PGPUB	US-PGPUB	2003/09/17 13:40	13:40
	((mirror or mirrors or micro-mirror or micro-mirrors or micromizror or			
-	micromirrors or reflector or reflectors or reflective or reflecting) mear2			
	(move or moves or moved or moving or movable or positionable or translateable			
_	or translate or translating or translated or translates or translation)) with			
	(phase))			
_	34 "4904042"	USPAT	2003/09/17 21:12	21:12
	4 i ("44904040) or ("5949571") or ("5972007") or ("6049650")	PSPAT	2003/09/17 21:12	21.12